



Saves Your Energy

PRODUCT CARD

02.12.2016

## KA16.12

### Rekkeklemme

Kode	KA16.12
GTIN	6418677102608
El nummer	1261210
Navn	Rekkeklemme 12-Pol, 1,5 mm <sup>2</sup>
Beskrivelse	Terminal block with flat base. Mounting hole Ø 2.8 mm. Terminal screw M 2.6. Terminal block can be ordered precut to desired number of poles. On request individual pole positions can be marked with desired markings. To order imprinting please specify the characters on your order. Turret or ledge marking available.



Selger Ensto Finland Oy



## Teknisk spesifikasjon

### Teknisk spesifikasjon

UL Cat.No.: 1616UF.12-AK

### Dimensjoner

Vekt: 19.1 g  
 Ledertverrsnitt: 1,5 mm<sup>2</sup>  
 Mål l x b x h: 93,5x18,2x13,8  
 Festehullets diameter: 2.8 mm

### Temperaturer

Høyeste driftstemperatur: +100 °C

### Elektriske verider

CSA: 1616UF-12  
 CSA Merkstrøm: 15 A

**CSA Nominell spenning:** 300 V  
**CSA Tversnitt:** 22-16 AWG

## Materialer

**Material:** Polyamid 6

## Funksjoner

**Antall poler:** 12

## Mekanisk

**Tiltrekningsmoment:** 0.4 Nm

## Sertifikater

**UIL-fil nummer:** E103245

## Rangeringer

**Nominell nettspenning:** 450 V

**ETIM:** EC001284

## Pakningsstørrelse

---

## Pakke

**Unit:** PCS

**Size:** 250

**Length:** 210 mm

**Width:** 210 mm

**Height:** 160 mm

**Weight (brt):** 4.7 kg

**Volume:** 7.1

## Pallet package

**Unit:** PCS

**Size:** 22500

