

**EV0line®**  
ePlace Design


**EV0line® Square80**



**NEW**


**schulte**  
elektrotechnik

invented and made by  
Schulte Elektrotechnik,  
Lüdenscheid, Germany.



### Slider with added value

Cable apertures in desks are standard. This standard opening in the work surface can offer you more than just a hole with cover. EVoline Square provides a socket, a USB-Charger and a data connection inside the 80 mm diameter. Even in closed position EVoline Square80 gives you a smart offer: The sliding cover in its Qi-Version provides an inductive technology (standard WPC 1.1) for wireless charging of suitable mobiles.

Description	Image	Specification	Order No.
<p>EV0line Square80</p> <p>Installation for surface thickness of up to 50 mm</p> <p>Installation cutout diameter: 80 mm</p> <p>Configuration:</p> <p>1 power outlet, VDE compliant, 16 A, touch-protected</p> <p>1 USB type A charger – ideal for charging of all USB-chargeable devices, i.e. iPhones, iPads, iPods, Tablets, Smart phones, MP3 Players.</p> <p>3 m fixed supply cable with Schuko angled plug</p> <p>For complete cable management solution, we recommend EV0line WireLane and EV0line Bridge to cover exposes cables. Available to order separately.</p> <p>International versions available upon request.</p> <p>The USB charging function cannot be guaranteed due to the multitude of manufacturers and devices on the market.</p>		<p><b>Without Qi charging function</b></p> <p>Black cover and black housing</p> <p>With CAT 6 socket, 3,0 m Cable and plug</p> <p>With 3,0 m pull-out CAT 6 patch cable male to male</p> <p>Without data</p> <hr/> <p>White cover and white housing</p> <p>With CAT 6 socket, 3,0 m Cable and plug</p> <p>With 3,0 m pull-out CAT 6 patch cable male to male</p> <p>Without data</p> <hr/> <p>Stainless steel effect cover and black housing</p> <p>With CAT 6 socket, 3,0 m Cable and plug</p> <p>With 3,0 m pull-out CAT 6 patch cable male to male</p> <p>Without data</p> <hr/> <p><b>With Qi charging function</b></p> <p>Black cover and black housing</p> <p>With CAT 6 socket, 3,0 m Cable and plug</p> <p>With 3,0 m pull-out CAT 6 patch cable male to male</p> <p>Without data</p> <hr/> <p>White cover and white housing</p> <p>With CAT 6 socket, 3,0 m Cable and plug</p> <p>With 3,0 m pull-out CAT 6 patch cable male to male</p> <p>Without data</p> <hr/> <p>Stainless steel effect cover and black housing</p> <p>With CAT 6 socket, 3,0 m Cable and plug</p> <p>With 3,0 m pull-out CAT 6 patch cable male to male</p> <p>Without data</p>	<p>1592 7000 0100</p> <p>1592 7000 0200</p> <p>1592 7000 0300</p> <p>1592 7000 1900</p> <p>1592 7000 2000</p> <p>1592 7000 2100</p> <p>1592 7000 3100</p> <p>1592 7000 3200</p> <p>1592 7000 3300</p> <p>1592 7000 0400</p> <p>1592 7000 0500</p> <p>1592 7000 0600</p> <p>1592 7000 1900</p> <p>1592 7000 2200</p> <p>1592 7000 2300</p> <p>1592 7000 3400</p> <p>1592 7000 3500</p> <p>1592 7000 3600</p>

\* For all Qi-compliant mobile phones with WPC standard 1.1



international  
sockets



fits  
into a  
80 mm hole




with  
USB Charger



mobile  
charging

## Dimensions







Schulte Elektrotechnik GmbH & Co KG

Postfach 27 08 / 27 32  
58477 Lüdenscheid  
Germany

Jüngerstraße 21  
58515 Lüdenscheid  
Germany

Phone +49 23 51 / 94 81 - 0  
Fax +49 23 51 / 4 26 58  
e-mail [info@schulte.com](mailto:info@schulte.com)  
Internet [www.evoline.com](http://www.evoline.com)

