

ARGENTA INOX SERIES

IP66 STAINLESS STEEL WALL-MOUNTING CABINETS

Description: IP66 316L-INOX WALL-MOUNTING CABINET 400x300x200

Reference:

INX403020-316

Characteristics:

Product type:	316L Stainless steel wall-mounting cabinet
Dimensions cabinet:	(AxBxC) 400x300x200 mm
Installation:	Surface
Type of door:	Single opaque door
Locking:	5-mm double-bit painted zamak lock - One 1-point lock
Finish:	Scotch 320 satin finish
Colour:	-
Mounting plate:	With flat mounting plate. 2-mm galvanised sheet steel
Weight (Kg):	7,1
Materials:	AISI 316L stainless steel Injected polyurethane sealing gasket
Capacity:	
Maximum acceptable loads:	

Technical data:

Degree of protection:	IP66 / NEMA 1, 4, 4x, 12
Resistance to impact:	IK10
Ambient temperature range:	-25 °C / +40 °C
Maximum operating voltage:	1000 V AC

Certificates and standards:

Directive:	2014/35/EU
Standards:	UNE-EN 62208 and UNE-EN 61439-1 (as applicable)
Certificates:	UL508A



Codes:


EAN:	8431044088778
Customs tariff number:	85.38.10.00
ETIM 6.0:	EC000261

ARGENTA INOX SERIES

IP66 STAINLESS STEEL WALL-MOUNTING CABINETS



Description: IP66 316L-INOX WALL-MOUNTING CABINET 400x300x200

Reference: INX403020-316



Standard drawing



Detailed drawing:  <http://www.ide.es/downloads/planos/pdf/INX403020-316.pdf>
 <http://www.ide.es/downloads/planos/dxf/INX403020-316.dxf>
 <http://www.ide.es/downloads/planos/stp/INX403020-316.stp>

Dimensions cabinet:	(AxBxC) 400x300x200 mm	Cable entry:	-
Body to be flush-fitted:	-	Wall fixing:	(HeightxWidth) 360x260 mm
Inside usable space:	(HeightxWidthxDepth) 350x250x179 mm	Glass dorr with transparent panel:	-

Sustainability:

RoHS - REACH

Supply:

Supplied in individual packaging containing cabinet, plate and accessory bag. The cabinet is protected by a plastic bag. Mounting plate is supplied unassembled inside the packaging.

Product end of life:

It does not require specific recycling operations.

Recommended applications:

Industrial environments and outdoor facilities with aggressive agents or saline environments. food, chemical and petrochemical industries, where a high degree of hygiene is required. Sea ports and areas with a high salt or chlorine concentration.