# **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

#### Supplier's name or trade mark: Namron

Supplier's address: customer service, Nedre kalbakkvei 88B, 1081 Oslo, NO

### Model identifier: 3215500

## Type of light source:

| Lighting technology used:     | LED            | Non-directional or directional: | NDLS                            |
|-------------------------------|----------------|---------------------------------|---------------------------------|
| Light source cap-type         | other elec-    |                                 |                                 |
| (or other electric interface) | tric interface |                                 |                                 |
| Mains or non-mains:           | NMLS           | Connected light source (CLS):   | No                              |
| Colour-tuneable light source: | No             | Envelope:                       | -                               |
| High luminance light source:  | No             |                                 |                                 |
| Anti-glare shield:            | No             | Dimmable:                       | Only with spe-<br>cific dimmers |


## **Product parameters**

| Parameter                              |   | Value                        | Parameter  | Value        |  |  |  |
|--|---|------------------------------|--|--------------|--|--|--|
| General product parameters:            |   |                              |  |              |  |  |  |
|  | nption in on-<br>00 h), rounded<br>st integer                                   | 14                           | Energy efficiency<br>class   | F            |  |  |  |
| dicating if it refe<br>a sphere (360°) | s flux (φuse), in-<br>ers to the flux in<br>, in a wide cone<br>rrow cone (90º) | 1 560 in Wide<br>cone (120°) | Correlated colour<br>temperature,<br>rounded to the near-<br>est 100 K, or the<br>range of correlat-<br>ed colour temper-<br>atures, rounded to<br>the nearest 100 K,<br>that can be set | 3 000        |  |  |  |
| On-mode pow<br>pressed in W            | ver (P <sub>on</sub> ), ex-   | 14,0                         | Standby power (P <sub>sb</sub> ),<br>expressed in W and<br>rounded to the sec-<br>ond decimal  | 0,00         |  |  |  |
| (P <sub>net</sub> ) for CLS, e         | andby power<br>expressed in W<br>the second dec-                                | -                            | Colour rendering in-<br>dex, rounded to the<br>nearest integer, or<br>the range of CRI-val-<br>ues that can be set   | 80           |  |  |  |
| Outer dimen-                           | Height  | 1 000                        | Spectral power dis-  | See image    |  |  |  |
| sions without                          | Width   | 8                            | tribution in the   | in last page |  |  |  |
| separate con-<br>trol gear, light-     | Depth   | 1                            | range 250 nm to 800<br>nm, at full-load  |              |  |  |  |

| ing control<br>parts and non-<br>lighting con-<br>trol parts, if<br>any (millime- |          |      |                              |       |  |  |  |
|---|----------|------|------------------------------|-------|--|--|--|
| tre)  |          |      |                              |       |  |  |  |
| Claim of equivalent power <sup>(a)</sup>  |          | -    | lf yes, equivalent power (W) | -     |  |  |  |
|   |          |      | Chromaticity coordi-         | 0,433 |  |  |  |
|   |          |      | nates (x and y)              | 0,403 |  |  |  |
| Parameters for LED and OLED light sources:  |          |      |                              |       |  |  |  |
| R9 colour rendering inde  | ex value | 1    | Survival factor              | 0,90  |  |  |  |
| the lumen maintenance   | factor   | 0,96 |                              |       |  |  |  |
| (2)   |          |      |                              |       |  |  |  |

(a)'-' : not applicable;

(b)<sub>'-'</sub> : not applicable;



Model placed on the Union market from 24/11/2022



**EPREL registration number:** 1411024

**Supplier:** NAMRON AS (Importer)

#### **Customer care service:**

Name: customer service

Email: post@namron.com

Address: Nedre kalbakkvei 88B 1081 Oslo Norway https://eprel.ec.europa.eu/qr/14 11024

Website: www.namron.com

Website: www.namron.com

Phone: 22 81 27 70