## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name of	or trade mark:	: Namron	
--------------------	----------------	----------	--

Supplier's address: customer service, Nedre kalbakkvei 88B, 1081 Oslo, NO

Model identifier: 3215528

Tν	pe	of	light	source	•:
٠,	<b>P</b> C	٠.		504.00	••


Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	Other elec-		
(or other electric interface)	tric interface		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Only with spe- cific dimmers

## **Product parameters**

Froduct parameters					
Parameter		Value	Parameter	Value	
General product parameters:					
<u> </u>	nption in on- 00 h), rounded st integer	10	Energy efficiency class	E	
dicating if it refe a sphere (360º) (120º) or in a na	s flux (фuse), in- ers to the flux in , in a wide cone rrow cone (90º)	1 280 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700	
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	10,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00	
(P <sub>net</sub> ) for CLS, 6	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80	
Outer dimen-	Height	1 000	Spectral power dis-	See image	
sions without	Width	12	tribution in the	in last page	
separate con- trol gear, light-	Depth	4	range 250 nm to 800 nm, at full-load		

ing control parts and non-lighting control parts, if any (millimetre)				
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-	
		Chromaticity coordi-	0,457	
		nates (x and y)	0,410	
Parameters for LED and OLED light sources:				
R9 colour rendering index value	1	Survival factor	0,90	
the lumen maintenance factor	0,96			

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/09/2023



**EPREL registration number:** 1683443 https://eprel.ec.europa.eu/qr/16

83443

Supplier: NAMRON AS (Importer) Website: www.namron.com

**Customer care service:** 

Name: customer service Website: www.namron.com

Email: post@namron.com Phone: 22 81 27 70

Address:

Nedre kalbakkvei 88B

1081 Oslo Norway