

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Namron

Supplier's address: Namron AS, Nedre kalbakkvei 88B, 1081 Oslo, NO

Model identifier: 3222282

Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)	other electric interface		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Yes

Product parameters


Parameter	Value	Parameter	Value
General product parameters:			
Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	7	Energy efficiency class	F
Useful luminous flux (ϕ_{use}), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	706 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000
On-mode power (P_{on}), expressed in W	6,5	Standby power (P_{sb}), expressed in W and rounded to the second decimal	0,00
Networked standby power (P_{net}) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80
Outer dimensions without separate control gear, lighting control	Height	13	Spectral power distribution in the range 250 nm to 800 nm, at full-load
	Width	17	
	Depth	500	
			See image in last page

parts and non-lighting control parts, if any (millimetre)			
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,440 0,403
Parameters for LED and OLED light sources:			
R9 colour rendering index value	0	Survival factor	0,90
the lumen maintenance factor	0,96		

(a) : not applicable;

(b) : not applicable;

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.4396$ $y=0.4057$ / $u'=0.2516$ $v'=0.5224$
 CCT=2968K (Duv=0.0003) Dominant WL:Ld =582.9nm Purity=53.7%
 Ratio:R=23.3% G=73.7% B=3.0% Peak WL:Lp=602.4nm FWHM=120.1nm
 Render Index:Ra=82.9
 R1 =83 R2 =94 R3 =93 R4 =79 R5 =83 R6 =93 R7 =80
 R8 =58 R9 =8 R10=87 R11=79 R12=72 R13=86 R14=97 R15=74

Photo Parameters:

Flux = 637.0 lm Eff. : 93.13 lm/W Fe = 1.943 W

Electrical parameters:


V = 23.997 V I = 0.2850 A P = 6.839 W PF = 1.000

Status: Integral T = 49 ms Ip = 50736 (77%)

Model:3222282
 Tester:QC
 Temperature:25.3Deg
 Manufacturer:

Number:
 Date:2020-11-28 19:21
 Humidity:65.0%
 Remarks:

Model placed on the Union market from 01/09/2021



EPREL registration number: 894813

<https://eprel.ec.europa.eu/qr/894813>

Supplier: NAMRON AS (Importer)

Website: www.namron.com

Customer care service:

Name: Namron AS

Website: www.namron.com

Email: post@namron.com

Phone: +4722812770

Address:

Nedre kalbakkvei 88B

1081 Oslo

Norway