Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or t	rade mark:	Namron
----------------------	------------	--------

Supplier's address: Namron AS, Nedre kalbakkvei 88B, 1081 Oslo, NO

Model identifier: 3234683

_	•			
Typa	Λt	liaht	sourc	Δ.
IVDE	OI.	IIGIIL	3 Uui C	c.


	1.55		NELC
Lighting technology used:	LED	Non-directional or	NDLS
		directional:	
	0.1	+	
Light source cap-type	Other elec-		
(or other electric interface)	tric interface		
Mains or non-mains:	NMLS	Connected light	No
		source (CLS):	
Colour-tuneable light source:	No	Envelope:	=
High luminance light source:	No		
riigii idiiiiialice ligiit source.	NO		
Anti-glare shield:	No	Dimmable:	Only with spe-
			cific dimmers
			ciric diffillers

Product parameters

Froduct parameters				
Parameter		Value	Parameter	Value
	General product parameters:			
<u> </u>	nption in on- 00 h), rounded st integer	6	Energy efficiency class	G
dicating if it refe a sphere (360º) (120º) or in a na	s flux (фuse), in- ers to the flux in , in a wide cone rrow cone (90º)	423 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700
On-mode pow pressed in W	ver (P _{on}), ex-	5,2	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00
(P _{net}) for CLS, 6	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80
Outer dimen-	Height	1 000	Spectral power dis-	See image
sions without	Width	14	tribution in the	in last page
separate con- trol gear, light-	Depth	4	range 250 nm to 800 nm, at full-load	

ing control parts and non- lighting con- trol parts, if any (millime- tre)			
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-
		Chromaticity coordi-	0,457
		nates (x and y)	0,410
Parameters for LED and OLED light sources:			
R9 colour rendering index value	2	Survival factor	0,90
the lumen maintenance factor	0,96		

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/09/2021 to 31/12/2022



EPREL registration number: 799910 https://eprel.ec.europa.eu/qr/799910

Supplier: NAMRON AS (Importer) Website: www.namron.com

Customer care service:

Name: Namron AS Website: www.namron.com

Email: post@namron.com Phone: +47 2281 2770

Address:

Nedre kalbakkvei 88B

1081 Oslo Norway