

# ST 171 SAFETY DEOS

Starters for single operation at 230 V AC



#### **Product features**

- Temperature range for reliable cut-out: -20...+80 °C




# Product datasheet

### Technical data

### **Electrical data**


Nominal voltage	220240 V
Nominal wattage	65.00 W
Mains frequency	5060 Hz

# Dimensions & weight



## Additional product data

Appropriate disposal acc. to WEEE	Yes
Product remark	Temperature range for reliable switch-off: -20+80 °C



Circuit diagram

Logistical Data

### Product datasheet

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300422855	ST 171 SAFETY DEOS	Shipping carton box 1200	400 mm x 265 mm x 325 mm	34.45 dm³	11169.00 g
4050300854106	ST 171 SAFETY DEOS	Shipping carton box 200	227 mm x 98 mm x 227 mm	5.05 dm <sup>3</sup>	2020.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.