Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's n	ame or trad	l e mark: SLV
--------------	-------------	----------------------

Supplier's address: EPREL-Contact, Daimlerstraße 21-23, 52531 Übach-Palenberg, DE

Model identifier: LS_2172

Type of light source:	Type	of light	source:
-----------------------	------	----------	---------

Type of light source:					
Lighting technology used:	LED	Non-directional or directional:	NDLS		
Light source cap-type	Unspecified				
(or other electric interface)					
Mains or non-mains:	NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:	No	Envelope:	-		
High luminance light source:	No				
Anti-glare shield:	No	Dimmable:	No		
Product parameters					
Parameter	Value	Parameter	Value		
General product parameters:					
Energy consumption in on- mode (kWh/1000 h), rounded	24	Energy efficiency class	D		


illode (kwii/1000 ii), roulided		Class	
up to the nearest integer			
Useful luminous flux (фuse), in-	3 718 in	Correlated colour	3 100
dicating if it refers to the flux in	Sphere (360°)	temperature.	

a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	Spnere (360°)	rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	
On-mode power (P _{on}), expressed in W	24,0	Standby power (P _{sb}), expressed in W and rounded to the sec-	0,00

pressed in W	ver (P _{on}), ex-	24,0	expressed in W and rounded to the second decimal	0,00
(P _{net}) for CLS, 6	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	82
Outer dimen-	Height	2	Spectral power dis-	See image
sions without	Width	25	tribution in the	in last page
separate con- trol gear, light- ing control	Depth	1 150	range 250 nm to 800 nm, at full-load	

parts and non- lighting con- trol parts, if any (millime- tre)			
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-
		Chromaticity coordi-	0,430
		nates (x and y)	0,400
Parameters for LED and OLED light sources:			
R9 colour rendering index value	12	Survival factor	1,00
the lumen maintenance factor	0,99		

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/10/2017



EPREL registration number: 916391 https://eprel.ec.europa.eu/qr/916391

Supplier: SLV GmbH (Importer) Website: www.slv.com

Customer care service:

Name: EPREL-Contact Website: www.slv.com

Email: eprel@slv.de **Phone:** +49 (2451) 4833 154

Address:

Daimlerstraße 21-23 52531 Übach-Palenberg

Germany