Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Lucide

Supplier's address: info@lucide.com, Bisschoppenhoflaan 145, 2100 Deurne, BE

Model identifier: 28116-24-30

Type of light source:

| Lighting technology used: | LED | Non-directional or directional: | NDLS |
|-------------------------------|----------------|---------------------------------|------|
| Light source cap-type | Integrated LED | | |
| (or other electric interface) | ceiling light | | |
| Mains or non-mains: | NMLS | Connected light source (CLS): | No |
| Colour-tuneable light source: | No | Envelope: | |
| ¥ | | | |
| High luminance light source: | No | | |
| Anti-glare shield: | No | Dimmable: | Yes |


Product parameters

| Parameter | | Value | Parameter | Value | | | |
|--|---|------------------------------|--|--------------|--|--|--|
| General product parameters: | | | | | | | |
| 01 | nption in on- 00 h), rounded st integer | 15 | Energy efficiency class | G | | | |
| dicating if it refe a sphere (360°) | s flux (фuse), in- ers to the flux in , in a wide cone nrow cone (90º) | 1 100 in Wide cone (120°) | Correlated colour temperature, rounded to the near- est 100 K, or the range of correlat- ed colour temper- atures, rounded to the nearest 100 K, that can be set | 3 000 | | | |
| On-mode pow pressed in W | ver (P _{on}), ex- | 15,0 | Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal | 0,00 | | | |
| (P _{net}) for CLS, e | andby power expressed in W the second dec- | - | Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set | 80 | | | |
| Outer dimen- | Height | 39 | Spectral power dis- | See image | | | |
| sions without separate con- trol gear, light- ing control | Width Depth | 240 240 | tribution in the range 250 nm to 800 nm, at full-load | in last page | | | |

| parts and non- lighting con- trol parts, if any (millime- tre) | | | | | |
|--|------|------------------------------|-------|--|--|
| Claim of equivalent power ^(a) | - | If yes, equivalent power (W) | - | | |
| | | Chromaticity coordi- | 0,434 | | |
| | | nates (x and y) | 0,403 | | |
| Parameters for LED and OLED light sources: | | | | | |
| R9 colour rendering index value | 2 | Survival factor | 0,90 | | |
| the lumen maintenance factor | 0,96 | | | | |

(a)'-' : not applicable;

(b)_{'-'} : not applicable;



Model placed on the Union market from 09/10/2019



EPREL registration number: 833666

Supplier: Lucide (Manufacturer)

Customer care service:

Name: info@lucide.com

Email: info@lucide.com

Address: Bisschoppenhoflaan 145 2100 Deurne Belgium https://eprel.ec.europa.eu/qr/833666

Website: www.lucide.be

Website:

Phone: +32 3 366 22 04