Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's address: Lucide NV, Bisschoppenhoflaan 145, 2100 Deurne, BE


Model identifier: 28116-24-31

_	•			
Typa	Λt	liaht	sourc	Δ.
IVDE	OI.	IIGIIL	3 Uui C	c.

Type of light 30	arcc.			
Lighting technology used:		LED	Non-directional or directional:	NDLS
Light source cap-type		Integrated LED		
(or other electric interface)		ceiling light		
Mains or non-mains:		NMLS	Connected light source (CLS):	No
Colour-tuneable	Colour-tuneable light source:		Envelope:	-
High luminance light source:		No		
Anti-glare shield	Anti-glare shield:		Dimmable:	Yes
		Product para	meters	
Parameter	Parameter Value		Parameter	Value
		General product p	arameters:	
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		15	Energy efficiency class	G
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		1 100 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000
On-mode power (P _{on}), ex- pressed in W		15,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80
Outer dimen-	Height	39	Spectral power distribution in the	See image
sions without	Width	240		in last page
separate con- trol gear, light- ing control		240	range 250 nm to 800 nm, at full-load	

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,434			
		nates (x and y)	0,403			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	2	Survival factor	0,90			
the lumen maintenance factor	0,96					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 09/10/2019



EPREL registration number: 833672 https://eprel.ec.europa.eu/qr/833672

Supplier: Lucide (Manufacturer) Website: www.lucide.be

Customer care service:

Name: Lucide NV Website:

Email: info@lucide.com Phone: +32 3 366 22 04

Address:

Bisschoppenhoflaan 145

2100 Deurne Belgium