## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier	's name o	or trade r	<b>nark:</b> Lucio	de
----------	-----------	------------	--------------------	----

Supplier's address: Lucide NV, Bisschoppenhoflaan 145, 2100 Deurne, BE


Model identifier: 28117-11-31

Type of light source:	Type	of light	source:
-----------------------	------	----------	---------

,, ,				
Lighting technology used:		LED	Non-directional or directional:	NDLS
Light source cap	-type	Integrated LED		
(or other electri	c interface)	ceiling light		
Mains or non-mains:		NMLS	Connected light source (CLS):	No
Colour-tuneable	light source:	No	Envelope:	-
High luminance	light source:	No		
Anti-glare shield	l:	No	Dimmable:	Yes
		Product para	meters	
Parameter		Value	Parameter	Value
		General product p	arameters:	
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		8	Energy efficiency class	G
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		430 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000
On-mode power (P <sub>on</sub> ), expressed in W		8,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80
Outer dimen-	Height	39	Spectral power dis-	See image
sions without	Width	108	tribution in the	in last page
separate con- trol gear, light- ing control		108	range 250 nm to 800 nm, at full-load	

parts and non- lighting con- trol parts, if any (millime- tre)					
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-		
		Chromaticity coordi-	0,434		
		nates (x and y)	0,403		
Parameters for LED and OLED light sources:					
R9 colour rendering index value	0	Survival factor	0,90		
the lumen maintenance factor	0,96				

(a)'-': not applicable; (b)'-': not applicable;



## Model placed on the Union market from 09/10/2019



**EPREL registration number:** 833693 https://eprel.ec.europa.eu/qr/833693

Supplier: Lucide (Manufacturer) Website: www.lucide.be

**Customer care service:** 

Name: Lucide NV Website:

Email: info@lucide.com Phone: +32 3 366 22 04

Address:

Bisschoppenhoflaan 145

2100 Deurne Belgium