Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's address: Lucide NV, Bisschoppenhoflaan 145, 2100 Deurne, BE

Model identifier: 28117-17-30

Type of light source:	Type	of light	source:
-----------------------	------	----------	---------

Outer dimen-

sions without

separate con-

trol gear, light-

control

ing

Height

Width

Depth

Lighting technology used:	LED	Non-directional or directional:	NDLS		
Light source cap-type	Integrated LED				
(or other electric interface)	ceiling light				
Mains or non-mains:	NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:	No	Envelope:	-		
High luminance light source:	No				
Anti-glare shield:	No	Dimmable:	Yes		
	Product parar	neters			
Parameter	Value	Parameter	Value		
General product parameters:					
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer	15	Energy efficiency class	G		
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	850 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000		
On-mode power (P _{on}), ex- pressed in W	15,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00		
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80		

39

168

168

Spectral power dis-

tribution in the

range 250 nm to 800


nm, at full-load

See image

in last page

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,434			
		nates (x and y)	0,403			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	0	Survival factor	0,90			
the lumen maintenance factor	0,96					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 09/10/2019



EPREL registration number: 833697 https://eprel.ec.europa.eu/qr/833697

Supplier: Lucide (Manufacturer) Website: www.lucide.be

Customer care service:

Name: Lucide NV Website:

Email: inf@lucide.com **Phone:** +32 3 366 22 04

Address:

Bisschoppenhoflaan 145

2100 Deurne Belgium